




LAT



LAT-01



LAT-01-11-21
5:3:2



LAT-02-04
7:3



LAT-01-12-22




↑	↑	↑	↑	↑	↑	↑	↑
↑	↑	↑	↑	↑	↑	↑	↑

LAT-02-12-22
4: 4: 2

- ← TEAM PRO
- ← TEAM PRO
- ← TEAM PRO
- ← TEAM PRO
- ← TEAM PRO






LAT-03




LAT-03-13-23





LAT-04-14-24



LAT-02-03-04-14-24
2.5 : 3 : 2.5 : 1 : 1




LAT-01



LAT-11



LAT-02



LAT-12




LAT-03



LAT-13



LAT-04



LAT-14




LAT-24


Specification 技术指标

Product Name 产品名称	LAT
Product Code 产品编码	LAGOM 325
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	PNMIX®
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m²) 绒重 (克 / 平方米)	580 ± 5%
Tile size(mm) 地毯尺寸 (毫米)	250 x 1000
Pile height(mm) 平均绒高 (毫米)	4.0 ± 0.5
Total thickness(mm) 总厚度 (毫米)	6.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Ashlar
上下错半



Herringbone
人字铺



Basketweave
网篮形



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold