




MX




Meeting Room 1

PDC
Technology Extremely Future


1075M

5075M



MX-01


OFFICE



MX-02



Chairman's Office
董事長辦公室
Registration Area
合辦區
Conference Room
會議室
Chairman's Office
董事長辦公室
Registration Area
合辦區
Conference Room
會議室
Chairman's Office
董事長辦公室
Registration Area
合辦區
Conference Room
會議室




MX-01-02-03




MX-01-03







MX-03




MX-02-03




MX-04



MX-01



MX-02



MX-03




MX-04


Specification 技术指标

Product Name 产品名称	MX
Product Code 产品编码	LAGOM 416
Tufted construction 簇绒结构	Multi-level Loop 高低圈绒
Fiber 纱线	PNMIX®
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m²) 绒重 (克 / 平方米)	520±5%
Tile size(mm) 地毯尺寸 (毫米)	500 x 500
Pile height(mm) 平均绒高 (毫米)	3.5 ± 0.5
Total thickness(mm) 总厚度 (毫米)	5.8 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Brick
左右错半



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn




Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid