






STT




STT-01




STT-02



STT-03




STT-01-03-11
5:35:15




↑	↑	↑	↑	↑	↑
↑	↑	↑	↑	↑	↑
↑	↑	↑	↑	↑	↑
↑	↑	↑	↑	↑	↑
↑	↑	↑	↑	↑	↑
↑	↑	↑	↑	↑	↑


STT-01-03-13
35:35:3




STT-03-13-14



STT-01-03-04-14
3:4:2:1



STT-04




STT-04-14



STT-01




STT-02




STT-03




STT-04




STT-11



STT-12



STT-13




STT-14


Specification 技术指标

Product Name 产品名称	STT
Product Code 产品编码	LAGOM 217
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	PNMIX®
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/10
Tufted weight(g/m²) 绒重 (克 / 平方米)	550 ± 5%
Tile size(mm) 地毯尺寸 (毫米)	250 x 1000
Pile height(mm) 平均绒高 (毫米)	4.0 ± 0.5
Total thickness(mm) 总厚度 (毫米)	6.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式




Ashlar
上下错半



Herringbone
人字铺



Basketweave
网篮形



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn




Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid