







TAS




TAS-01




TAS-02







TAS-01-11




TAS-01-12




TAS-01-11-12




TAS-01-02




TAS-02-21




TAS-01-02-22




TAS-02-22




TAS-02-22




TAS-01




TAS-11




TAS-12



TAS-02



TAS-21




TAS-22


Specification 技术指标

Product Name 产品名称	TAS
Product Code 产品编码	LAGOM 433
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	PNMIX®
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m²) 绒重 (克 / 平方米)	530 ± 5%
Tile size(mm) 地毯尺寸 (毫米)	333.3x 1000
Pile height(mm) 平均绒高 (毫米)	4.0± 0.5
Total thickness(mm) 总厚度 (毫米)	6.5± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式




Ashlar
上下错半



Herringbone
人字铺



Monolithi
顺铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn




Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid