


高嘉地毯

上海制造

太和

國家標準起草單位
源自一九九七年上海地毯



太和 -01-03
6:4



太和 -03



太和 -01-02-03
3.5:3.5:3



太和 -01-03-04



太和-04

Never give up
Never lose hope
Always have faith,
It allows you to cope
Trying times will pass,
As they always do
Just have patience
Your dreams will come true

WORK



太和 -01-02-03-04
4: 2.5: 2: 1.5



太和 -01



太和 -02



太和 -03




太和 -04


Specification 技术指标

Product Name 产品名称	太和
Product Code 产品编码	LAGOM 413
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	PNMIX®
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m²) 绒重 (克 / 平方米)	480 ± 5%
Tile size(mm) 地毯尺寸 (毫米)	333.3x 1000
Pile height(mm) 平均绒高 (毫米)	3.8 ± 0.5
Total thickness(mm) 总厚度 (毫米)	5.8 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC

Recommended installation methods 建议铺装方式



Ashlar
上下错半



Herringbone
人字铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid