


高青 地毯


上海制造

高青


國家標準起草單位
源自一九九七年上海地毯




苍苔 -01-02




苍苔 -01-02-03-04




苍苔 -01-02-03-04




苍苔-01-02-03-04




苍苔 -03-04



苍苔 -02-03
1 : 1




苍苔-03-04




苍苔-01-02-03-04








苍苔-02-07
1:1



苍苔 -01-02-07-08




苍苔:01-02-07-08




苍苔-09-10-11-12







苍苔 -01




苍苔 -02




苍苔 -03




苍苔 -04




苍苔 -07




苍苔 -08




苍苔 -09



苍苔 -10



苍苔 -11




苍苔 -12


Specification 技术指标

Product Name 产品名称	苍苔
Product Code 产品编码	HYGGE 214
Tufted construction 簇绒结构	Tufted Textured Loop 高低圈绒
Fiber 纱线	PNMIX™
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/10
Tufted weight(g/m²) 绒重 (克 / 平方米)	750 ± 5%
Tile size(mm) 地毯尺寸 (毫米)	500 x 500
Pile height(mm) 平均绒高 (毫米)	6.0 ± 0.5
Total thickness(mm) 总厚度 (毫米)	10.0 ± 0.5
Standard Backing 标准底背	Cushion back

Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid