

高嘉地毯


上海制造

玲珑


琥珀

珊瑚

國家標準起草單位
源自一九九七年上海地毯




玲珑-07-11




玲珑-06-11-12





玲珑-11-12
1:1




玲珑 -07-11-12-13
1.5 : 3 : 3 : 2.5








玲珑 -11- 琥珀 -11
3:7




玲珑-13 琥珀-13

1:1



珊瑚 -11






玲珑 -13- 珊瑚 -13
1:1



玲珑 -06



玲珑 -07



玲珑 -05



玲珑 -11




玲珑 -12




玲珑 -13




琥珀 -11




琥珀 -13



珊瑚 -11



珊瑚 -12




珊瑚 -13


Specification 技术指标

Product Name 产品名称	玲珑
Product Code 产品编码	TACK 220
Tufted construction 簇绒结构	Level Loop 平圈
Fiber 纱线	100% PP 丙纶
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/10
Tufted weight(g/m ²) 绒重 (克 / 平方米)	420±5%
Tile size(mm) 地毯尺寸 (毫米)	500 x 500
Pile height(mm) 平均绒高 (毫米)	3.5 ± 0.5
Total thickness(mm) 总厚度 (毫米)	5.0 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC

Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport




Non-moid


Specification 技术指标

Product Name 产品名称	琥珀
Product Code 产品编码	TACK 221
Tufted construction 簇绒结构	Level Loop 平圈
Fiber 纱线	100% PP 丙纶
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/10
Tufted weight(g/m ²) 绒重 (克 / 平方米)	420±5%
Tile size(mm) 地毯尺寸 (毫米)	500 x 500
Pile height(mm) 平均绒高 (毫米)	3.5 ± 0.5
Total thickness(mm) 总厚度 (毫米)	5.0 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Brick
左右错半



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport




Non-mold


Specification 技术指标

Product Name 产品名称	珊瑚
Product Code 产品编码	TACK 419
Tufted construction 簇绒结构	Level Loop 平圈
Fiber 纱线	100% PP 丙纶
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/10
Tufted weight(g/m ²) 绒重 (克 / 平方米)	420±5%
Tile size(mm) 地毯尺寸 (毫米)	500 x 500
Pile height(mm) 平均绒高 (毫米)	3.5 ± 0.5
Total thickness(mm) 总厚度 (毫米)	5.0 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Brick
左右错半



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid